



SkimOIL, Inc  
103 W. Weaver Street  
Carrboro, NC 27510  
(314) 579-9755  
Fax: (314) 558-9253  
www.skimoil.com

Marine and Industrial Solutions Since 1995

EMAIL: [contact@skimoil.com](mailto:contact@skimoil.com)

## MarineVAP-The Final Solution

Marine Waste Water Evaporator

SkimOil's zero liquid discharge MarineVAP™ system is a completely marinated, simple device and the logical successor to the SkimOil [BilgeVAP](#) that has been successfully used for years to eliminate oily bilge water. Our technology is mature and has been well proven, and now the materials and controls are even better.



### How About Zero Liquid Discharge?

- No Discharge is a good discharge
- Evaporates your [VGP](#) waste waters away
- Evaporates all your bilge and gray water, and even treated black water
- No Discharge Zone.....No Problem
- Turn your boat into a No Discharge Zone
- How about "Nothing Overboard?"



We can help — we can furnish great tools for treating these waters for legal discharge or even eliminating the gray water and even treated black water by use of our on-board [MarineVAP](#) and [BilgeVAP](#) electric evaporators and/or our oil-fired [OilEaterVAP](#) evaporators.



SkimOIL, Inc  
 103 W. Weaver Street  
 Carrboro, NC 27510  
 (314) 579-9755  
 Fax: (314) 558-9253  
 www.skimoil.com

Industrial and Marine Solutions Since 1995

EMAIL: contact@skimoil.com



**How It Works!**

- Completely automated system -- no operator required
  - HOA operation
- Starts evaporating in 5 minutes
  - Simple controls
- Integrated feed pump-----pulls water from your tank.
  - Automatic blowdown
  - Small Footprint
- Easy installation and operations.
  - Fully insulated
- Efficient & Clean Electric Operation---no emissions

MODEL	GPH	DIMENSIONS
MV8	8GPH	30X30X65 INCHES 22Kw
MV16	16GPH	40X40X70 INCHES 42Kw

**Got Water? Evaporate It Away!**

**No discharge is safe discharge.  
 Completely automatic hands-off operation.**



SkimOIL, Inc  
 103 W. Weaver Street  
 Carrboro, NC 27510  
 (314) 579-9755  
 Fax: (314) 558-9253  
 www.skimoil.com  
 EMAIL: contact@skimoil.com

Industrial and Marine Solutions Since 1995

SKIMOIL	Model MV8	Model MV16
Capacity of Evaporation	8 GPH	16GPH
Overall Dimensions:		
--Width	30"	40"
--Depth	28"	37"
--Height	72"	72"
Vessel Construction:	Carbon Steel	Carbon Steel
--Vessel Diameter	16"	22"
Inlet:	3/8" Tubing	3/8" Tubing
Steam Outlet	3" NPT	3" NPT
Drain	2" NPT	2" NPT
Dump Port	3/4" NPT	3/4" NPT
Voltage Option (3 Phase)	208VAC, 220VAC, 440VAC	440VAC/3 Phase/60Hz only
Power Consumption	20kW	40kW
Transformed Control Voltage	110V/1 phase/60Hz	110V/1 Phase/60Hz



Simple Controls and Operation



Simple Installation-Fits Anywhere